

## PRODUCT INFORMATION

### LINALYL BUTYRATE

#### 1) IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND OF THE COMPANY/ UNDERTAKING

Product Name	: <b>LINALYL BUTYRATE</b>
Chemical Name of Active Ingredient(s)	: <b>LINALYL BUTYRATE</b>
Manufacturer	: <b>M/S. U.K.AROMATICS &amp; CHEMICALS</b> PLOT No. K-6/3, TARAPUR MIDC, KALODA NAKA, NAVAPUR ROAD, BOISAR - 401506, INDIA Phone no: (02525) 276520, 661081/82. Fax: (02525) 276520. Email: ukaromatics@gmail.com

#### 2) PRODUCT IDENTIFICATION & COMPOSITION/ INFORMATION ON INGREDIENTS

<b>Synonyms</b>	: butanoic acid 1-ethenyl-1,5-dimethyl-4-hexen-1-yl ester butanoic acid, 1-ethenyl-1,5-dimethyl-4-hexen-1-yl ester butanoic acid, 1-ethenyl-1,5-dimethyl-4-hexenyl ester 1.5-dimethyl-1-ethenylhex-4-enyl 3-methylpropionate 1.5-dimethyl-1-ethenylhex-4-enyl butyrate 3,7- dimethyl-1,6-octadien-3-yl butanoate 1- ethenyl-1,5-dimethyl-4-hexen-1-yl butanoate linalyl butyrate natural
-----------------	---

### 3) PHYSICAL CHEMICAL PROPERTIES

<b>Appearance</b>	: Colorless to pale yellow clear liquid
<b>Occurrence in nature</b>	: It is a synthesized chemical
<b>Odor description</b>	: Floral, fruity, sweet, blueberry, pineapple-like and citrus with a slight spice nuance
<b>Flavor</b>	: Apple, Banana, blueberry
<b>Solubility</b>	: soluble in alcohols and oils, slightly soluble in water
<b>Relative Density@25°C</b>	: 0.890 to 0.899
<b>Refractive Index@20°C</b>	: 1.451 to 1.456
<b>Typical Purity (GC)</b>	: Not less than 95%
<b>Acid Value</b>	: 1.00 max. KOH/g
<b>Boiling point</b>	: 232.00 °C. @ 760.00 mm Hg
<b>Flash Point</b>	: 218.00 °F. TCC (103.33 °C)
<b>CAS No.</b>	: 78-36-4
<b>Molecular wt</b>	: 224.34
<b>FEMA No.</b>	: 2639
<b>EINECS</b>	: 201-109-8
<b>CoE</b>	: 276
<b>USA Food &amp; Drug Act Title21 CFR Paragraph:</b>	172.515
<b>JECFA number</b>	: 361
<b>Chemical Formula</b>	: C <sub>14</sub> H <sub>24</sub> O <sub>2</sub>
<b>HS No.</b>	: 29156000
<b>FOOD CHEMICALS CODEX LISTED</b>	: no

## 4) OTHER INFORMATION

<b>Standard Packing size</b>	: 5.0 kgs, 35 kgs & 220 kgs
<b>Packing material compatibility details</b>	: Compatible with MS, lacquered lined, Good HDPE, Galvanized Iron drums, HDPE Carbouys, Aluminium Cans.
<b>Head Space</b>	: As low as possible
<b>Use Level</b>	: Fragrance up to 8.0000% Flavours up to 20.0000 PPM
<b>Stability</b>	: Keep in tightly closed container in a cool and dry place, protected from light. When stored for more than 12 months, quality should be checked before use.

**Level of metals as follows** :

Copper < 20ppm

Arsenic < 1.1 ppm

Tin < 250ppm

Zinc < 50ppm

Cadmium < 1 ppm

Mercury 1 PPM

Lead < 1 PPM

Methyl Mercury calculated as element < 0.25 ppm