

PRODUCT INFORMATION

PARA CRESYL ACETATE

1) IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND OF THE COMPANY/ UNDERTAKING

Product Name	: PARA CRESYL ACETATE
Chemical Name of Active Ingredient(s)	: PARA CRESYL ACETATE
Manufacturer	: M/S. U.K.AROMATICS & CHEMICALS PLOT No. K-6/3, TARAPUR MIDC, KALODA NAKA, NAVAPUR ROAD, BOISAR - 401506, INDIA Phone no: (02525) 276520, 661081/82. Fax: (02525) 276520. Email: ukaromatics@gmail.com

2) PRODUCT IDENTIFICATION & COMPOSITION/ INFORMATION ON INGREDIENTS

Synonyms	: acetic acid 4-methyl phenyl ester acetic acid 4-methylphenyl ester acetic acid p-cresyl ester acetic acid p-tolyl ester acetic acid para-tolyl ester acetic acid, 4-methylphenyl ester acetic acid, p-tolyl ester para methyl benzyl acetate P-methylphenyl acetate 4-methylphenylaceticacid P-tolyacetate 4-tolyl acetate para-tolyl ethanoate
-----------------	---

3) PHYSICAL CHEMICAL PROPERTIES

Appearance	: Colorless clear liquid
Occurrence in nature	: It is a synthesized chemical
Odor description	: Narcissus phenolic animal
Flavor	: Blossom, animalic
Solubility	: Slightly soluble in water; soluble in oils
Relative Density@25°C	: 1.03200 to 1.04000
Refractive Index@20°C	: 1.50000 to 1.50500
Typical Purity (GC)	: Not less than 98%
Acid Value	: 1.00 max. KOH/g
Boiling point	: 208.00 to 212.00 °C. @ 760.00 mm Hg
Flash Point	: 194.00 °F. TCC (90.00 °C)
CAS No.	: 140-39-6
Molecular wt	: 150.17
FEMA No.	: 3073
EINECS	: 205-413-1
CoE	: 226
USA Food & Drug Act Title21 CFR Paragraph:	172.515
JECFA number	: 699
Chemical Formula	: C ₉ H ₁₀ O ₂
HS No.	: 29163515
FOOD CHEMICALS CODEX LISTED	: yes

4) OTHER INFORMATION

Standard Packing size	: 5.0 kgs, 35 kgs & 220 kgs
Packing material compatibility details	: Compatible with MS lacquered lined, Good HDPE, Galvanized Iron drums, HDPE Carbouys, Aluminium Cans.
Head Space	: As low as possible
Use Level	: Fragrance up to 1.0000 % Flavors up to 220.0000 PPM
Stability	: Keep in tightly closed container in a cool and dry place, protected from light. When stored for more than 12 months, quality should be checked before use.

Level of metals as follows :

Copper < 30ppm

Arsenic < 1.1 ppm

Tin < 250ppm

Zinc < 50ppm

Cadmium < 1 ppm

Mercury 1 PPM

Lead < 2.5 PPM

Methyl Mercury calculated as element < 0.25 ppm